

## Publikationen

**Dr. med. Levent Kara, EBIR, FCIRSE**

Leitender Arzt, Institut für Radiologie und Nuklearmedizin, Stadtspital Triemli

---

Percutaneous transhepatic biliary puncture simulator: a cord network prototype.

Ruben López Benítez; Tomás Reyes del Castillo; David Benz; Carsten Fechner; Lorant Szabo; **Levent Kara**; Etienne Monnard; Michael Kostrzewa; Justus Roos

Advances in Simulation 2021

"Geht nicht gibt's nicht"- Ein neues Bail-out Verfahren zur Schaffung eines Dialyse Zuganges bei Verschluss der Vena cava superior.

**Dr. med. Levent Kara**, Dr. med. Magdalena Schmidt, Dr. med. Roger Pfiffner, Dr. med. Albin Schwarz, PD Dr. med. Nicolas Attigah

SMF-D-20-00100R2

Temperature-induced configuration changes in hydrogel-coated coils and their relevance in embolization procedures.

Lopez Benitez R, Reyes Del Castillo T, **Kara L**, Kettenbach J, Roos J

J.CVIR Endovasc. 2020 Dec

Establishing Local Diagnostic Reference Levels in IR Procedures with Dose Management Software.

Heilmaier C, Zuber N, Berthold C, **Kara L**, Weishaupt D.

J Vasc Interv Radiol. 2017 Mar

Combined Use of a Patient Dose Monitoring System and a Real-Time Occupational Dose Monitoring System for Fluoroscopically Guided Interventions.

Heilmaier C, **Kara L**, Zuber N, Berthold C, Weishaupt D.

J Vasc Interv Radiol. 2016 Apr;27(4):584-92

Improving Patient Safety: Implementing Dose Monitoring Software in Fluoroscopically Guided Interventions.

Heilmaier C, Niklaus Z, Berthold C, **Kara L**, Weishaupt D.

J Vasc Interv Radiol. 2015 Nov;26(11):1699-709

Rigor mortis at the myocardium investigated by post-mortem magnetic resonance imaging.

Bonzon J, Schön CA, Schwendener N, Zech WD, **Kara L**, Persson A, Jackowski C.

Forensic Sci Int. 2015 Dec;257:93-7

A rare complication of pulmonary tuberculosis - Rasmussen aneurysm - radiologic diagnosis].

Dobrocky T, Christe A, Lopez-Benitez R, **Kara L**.  
Rofo. 2015 May;36(2):125-7

Regional Radiation Pneumonitis After SIRT of a Subcapsular Liver Metastasis: What is the Effect of Direct Beta Irradiation?

Dobrocky T, Fuerstner M, Klaeser B, Lopez-Benitez R, Wälti YB, **Kara L**.  
Cardiovasc Intervent Radiol. 2015 Aug;38(4):1025-30

Disastrous Portal Vein Embolization Turned into a Successful Intervention.

Dobrocky T, Kettenbach J, Lopez-Benitez R, **Kara L**.  
Cardiovasc Intervent Radiol. 2015 Oct;38(5):1365-8

A rare complication of pulmonary tuberculosis - Rasmussen aneurysm - radiologic diagnosis and therapy].

Dobrocky T, Christe A, Lopez-Benitez R, **Kara L**.  
Rofo. 2015 Feb;187(2):125-7

A robotic needle-positioning and guidance system for CT-guided puncture: Ex vivo results.

Kettenbach J, **Kara L**, Toporek G, Fuerst M, Kronreif G.  
Minim Invasive Ther Allied Technol. 2014 Oct;23(5):271-8

Characterization and differentiation of body fluids, putrefaction fluid, and blood using Hounsfield unit in postmortem CT.

Zech WD, Jackowski C, Buetikofer Y, **Kara L**.  
Int J Legal Med. 2014 Sep;128(5):795-802

Quantification of popliteal artery deformation during leg flexion in subjects with peripheral artery disease: a pilot study.

Gökgöl C, Diehm N, **Kara L**, Büchler P.  
J Endovasc Ther. 2013 Dec;20(6):828-35

Fluoroscopy-guided hepaticoneojejunosomy in recurrent anastomotic stricture after repeated surgical hepaticojejunosomy.

Kloeckner R, Dueber C, dos Santos DP, **Kara L**, Pitton MB.  
J Vasc Interv Radiol. 2013 Nov;24(11):1750-2

Radiation exposure in CT-guided interventions.

Kloeckner R, dos Santos DP, Schneider J, **Kara L**, Dueber C, Pitton MB.  
Eur J Radiol. 2013 Dec;82(12):2253-7

The "embowire" technique: concept and description of a novel embolization technique for narrow vessels.

Lopez-Benitez R, Rusch O, Heverhagen J, **Levent K**, Hanno H, Geiser C, Kettenbach J.  
Cardiovasc Intervent Radiol. 2013 Oct;36(5):1393-8

Protective embolization of the gastroduodenal artery with a one-HydroCoil technique in radioembolization procedures.

López-Benítez R, Hallscheidt P, Kratochwil C, Ernst C, **Kara L**, Rusch O, Vock P, Kettenbach J.  
Cardiovasc Intervent Radiol. 2013 Feb;36(1):105-10