

## PUBLIKATIONEN

### Originalarbeiten (Peer Reviewed)

1. Weishaupt D, Goebel N. Das Rektusscheidenhämatom - Nachweis einer Blutung eines rupturierten Aneurysmas der A. epigastrica im CT. VASA 1997; 26: 55-57
2. Weishaupt D, Höflin F, Brühlmann W. Erfolgreiche perkutane Rekanalisation eines subakuten Nierenarterienverschlusses mit vollständiger Erholung der Nierenfunktion. Rofo Fortschr Röntgenstr 1997; 166:269-272
3. Weishaupt D, Berbig R, Prim J, Brühlmann W. Sonographische Befunde nach Schulterluxation. Ultraschall Med 1997;18:129-133
4. Brühlmann W, Weishaupt D, Goebel N, Imhof E. Therapeutic embolization of a systemic arterialization of the lung without sequestration. Eur Radiol 1998;8:355-358
5. Zanetti M, Weishaupt D, Gerber C, Hodler J. Tendinopathy and rupture of the long head of the biceps brachii muscle: evaluation with MR-arthrography. AJR 1998;170:1557-1561
6. Weishaupt D, Zanetti M, Hodler J, Boos N. MR imaging of lumbar spine: prevalence of intervertebral disk extrusion and sequestration, nerve root compression, end plate abnormalities, and osteoarthritis of the facet joints in asymptomatic volunteers. Radiology 1998;209:661-666
7. Zanetti M, Weishaupt D, Jost B, Gerber C, Hodler J. MR imaging for traumatic tears of the rotator cuff: high prevalence of greater tuberosity fractures and subscapularis tendon tears. AJR 1999;172:463-467
8. Hilfiker PR, Weishaupt D, Schmid M, Dubno B, Hodler J, Debatin JF. Real-time MR-guided joint puncture and arthrography: preliminary results. Eur Radiol 1999;9:201-204
9. Weishaupt D, Wildermuth S, Schmid MR, Hilfiker PR, Hodler J, Debatin JF. Virtual arthroscopy based on 3D MR datasets - new insights into joint morphology. J Magn Reson Imaging 1999;9:757-760
10. Weishaupt D, Zanetti M, Boos N, Hodler J. MR Imaging and CT in osteoarthritis of the lumbar facet joints. Skeletal Radiology 1999;28:215-219
11. Berbig R, Weishaupt D, Prim J, Shahin O. Primary traumatic anterior shoulder dislocation and rotator cuff tears. J Shoulder Elbow Surg 1999;8:220-225

12. Weishaupt D, Zanetti M, Gerber C, Hodler J. Lesions of the reflection pulley of the long biceps tendon: MR-arthrographic findings. *Invest Radiol* 1999;34:463-469
13. Luboldt W, Frohlich JM, Schneider N, Weishaupt D, Landolt F, Debatin JF. MR colonography: optimized enema composition. *Radiology* 1999;212:265-269
14. Weishaupt D, Hilfiker PR, Schmidt M, Debatin JF. Pulmonary hemorrhage: imaging with a new MR blood pool agent in conjunction with breathheld 3D MRA. *Cardiovasc Intervent Radiol* 1999;22:321-325
15. Weishaupt D, Patak MA, Froehlich J, Ruehm SG, Debatin JF. Fecal tagging to avoid colonic cleansing before MR colonography. *Lancet* 1999;354:835-836
16. Hilfiker PR, Weishaupt D, Kacel GM, Hetzer FH, Griff MD, Ruehm SG, Debatin JF. Comparison of 3D magnetic resonance imaging in conjunction with a blood pool contrast agent and nuclear scintigraphy for the detection of experimentally induced GI bleedings. *Gut* 1999;45:581-587
17. Patak MA, Weishaupt D, Froehlich J, Debatin JF. Sequential fast 3D MRI following oral ingestion of Gd-DOTA: a new means to assess intestinal transit time. *J Magn Reson Imaging* 1999;10:474-476
18. Pfirrmann CWA, Zanetti M, Weishaupt D, Gerber C, Hodler J. MR arthrography of subscapularis tendon tears: detection and grading. *Radiology* 1999;213:709-714
19. Fuchs B, Weishaupt D, Zanetti M, Hodler J, Gerber C. Fatty degeneration of the muscles of the rotator cuff: assessment by computed tomography versus MR imaging. *J Shoulder Elbow Surg* 1999; 8:599-605
20. Weishaupt D, Quick HH, Nanz D, Schmidt M, Cassina P, Debatin JF. Ligating clips for three-dimensional MR angiography at 1.5T: in vitro evaluation. *Radiology* 2000;214:902-907
21. Weishaupt D, Schmid MR, Zanetti M, Boos N, Kissling R, Dvorak J, Hodler J. Positional MR imaging of the lumbar spine: does it demonstrate nerve root compromise not visible at conventional MR imaging? *Radiology* 2000;215:247-253
22. Ruehm SG, Weishaupt D, Debatin JF. Contrast-enhanced MR angiography in patients with aortic occlusion. *J Magn Reson Imaging* 2000;11:401-410
23. Robiller FC, Stumpe KD, Kossmann T, Weishaupt D, Bruder E, von Schulthess GK. Chronic osteomyelitis of the femur: contribution of PET imaging. *Eur Radiol* 2000;10:855-858

24. Nanz D, Weishaupt D, Quick HH, Debatin JF. TE-switched double-contrast enhanced visualization of vascular system and instruments for MR-guided interventions. *Magn Reson Med* 2000;11:401-410
25. Weishaupt D, Zanetti M, Nyffeler R, Gerber C, Hodler J. Posterior glenoid rim deficiency in recurrent (atraumatic) posterior shoulder instability. *Skeletal Radiol* 2000;29:187-195
26. Weishaupt D, Zanetti M, Exner U. Familial occurrence of glenoid dysplasia in two consecutive generations. *Arch Orthop and Trauma Surg* 2000;120:349-351
27. Weishaupt D, Exner GU, Hilfiker P, Hodler J. Dynamic MR imaging in Legg-Calvé-Perthes disease: comparison with arthrography. *AJR* 2000;174:1635-1637
28. Weishaupt D, Ruehm SG, Binkert CA, Steybe F, Patak MA, Schmidt M, McGill S, Debatin JF. Equilibrium-phase MR angiography of the aortoiliac and renal arteries using a blood pool contrast agent. *AJR* 2000;175:189-195
29. Wildermuth S, Weishaupt D, Marincek B. Virtual colonoscopy: MR-colonography versus multidetector CT-colonography. *Japanese Journal of Tomography* 2000;27:137-138
30. Weishaupt D, Hetzer FH, Ruehm SG, Schmidt M, Patak MA, Debatin JF. Three-dimensional contrast-enhanced MRI using an intravascular contrast agent for detection of traumatic intra-abdominal hemorrhage and parenchymal injuries: an experimental study. *Eur Radiol* 2000;10:1958-1964.
31. Zanetti M, Carstensen T, Weishaupt D, Jost B, Hodler J. MR arthrographic variability of the arthroscopically normal glenoid labrum: qualitative and quantitative assessment. *Eur Radiol* 2001;11:559-566
32. Weishaupt D, Zanetti M, Hodler J, Min K, Fuchs B, Pfirrmann CWA, Boos N. Painful lumbar disk derangement: relevance of end plate abnormalities at MR imaging. *Radiology* 2001;218:420-427
33. Weishaupt D, Schweitzer ME, DiCuccio ME, Whitley PE. Relationships of cervical, thoracic and lumbar bone mineral density by quantitative CT. *J Comput Assisted Tomogr* 2001;25:146-150
34. Manton GL, Schweitzer ME, Weishaupt D, Karasick D. Utility of MR arthrography in the diagnosis of adhesive capsulitis. *Skeletal Radiol* 2001;30:326-330
35. Basak S, Schweitzer ME, Parker L, Karasick D, Karasick D, Shah R, Weishaupt D. Cervical spine trauma radiography: comparison of general and musculoskeletal radiologists, with emphasis on number of views. *Emergency Radiology* 2001;8:85-90

36. Weishaupt D, Schweitzer ME, Rawool NM, Nazarian LN, Morrison WB, Natale PM, Winder AA. Indirect MR arthrography of the knee: effects of low-intensity ultrasound on diffusion rate of intravenously administered Gd-DTPA in healthy volunteers. *Invest Radiol* 2001;36:493-499
37. Hilfiker PR, Weishaupt D, Marincek B. Multislice spiral computed tomography of subacute myocardial infarction. *Circulation* 2001;104:1083
38. Weishaupt D, Schweitzer ME, Morrison WB. Injuries to the distal gastrocnemius muscle – MR imaging findings. *J Comput Assisted Tomo* 2001;25:677-682.
39. Wagner SC, Schweitzer ME, Weishaupt D. Temporal behavior of intraarticular gadolinium. *J Comput Assisted Tomo* 2001;25:661-670
40. Manton GL, Schweitzer ME, Weishaupt D, Morrison WB, Osterman AL, Culp RW, Shabshin N. Partial interosseous ligament tears of the wrist: difficulty in utilizing either primary or secondary MRI signs. *J Comput Assisted Tomogr* 2001;25:671-677
41. Weishaupt D, Schweitzer ME, Morrison WB, Haims AH, Wapner K, Kahn M. MRI of the foot and ankle: prevalence and distribution of occult and palpable ganglia. *J Magn Reson Imag* 2001;14:464-471
42. Williams BD, Schweitzer ME, Weishaupt D, Lerman J, Rubenstein DL, Miller LS, Rosenberg ZS. Partial tears of the long biceps tendon: MR appearance and associated clinical findings. *Skeletal Radiology* 2001;30:560-564.
43. Kaim A, Burger C, Goerres GW, Ganter C, Kamel E, Weishaupt D, Dizendorf E, Schaffner A, von Schulthess GK. PET-CT guided percutaneous puncture of an infected cyst in adult polycystic kidney disease: Case Report. *Radiology* 2001;221:818-821.
44. Willmann JK, Szente-Varga, Hilfiker PR, Weishaupt D. Three-Dimensional Images from and extraanatomical arterial bypass graft using multidetector-row spiral computed tomography data with volume rendering. *Circulation* 2001;104:E154-E155
45. Willmann JK, Weishaupt D, Kestenholz PB, von Smekal A, Marincek B. Endotracheal neurofibroma in neurofibromatosis type 1 – an unusual manifestation. *Eur Radiol* 2001;12:190-192
46. Roos JE, Willmann JK, Weishaupt D, Lachat M, Marincek B, Hilfiker PR. Thoracic aorta: motion artifact reduction with retrospective and prospective electrocardiography-assisted multi-detector row CT. *Radiology* 2002;222:271-277.

47. White LM, Schweitzer ME, Weishaupt D, Kramer J, Davis A, Marks PH. Diagnosis of recurrent meniscal tears: prospective evaluation of conventional MR imaging, indirect MR arthrography, and direct MR arthrography. *Radiology* 2002;222:421-429
48. Weishaupt D, Pfammatter T, Hilfiker PR, Wolfensberger U, Marincek B. Detecting bleeding duodenal varices by multislice helical CT. *AJR* 2002;178:399-401
49. Roos JE, Desbiolles LM, Willmann JK, Weishaupt D, Marincek B, Hilfiker PR. Multidetector-row helical CT (MDCT): analysis of time management and workflow. *Eur Radiol* 2002;12:680-685.
50. Weishaupt D, Schweitzer ME. MR imaging of the foot and ankle: patterns of bone marrow signal abnormalities. *Eur Radiol* 2002;12:416-426.
51. Stoob K, Beer G, Weishaupt D. Adulte febrile Patientin mit schnell wachsendem Tumor am Oberarm: Bartonella heselae als Ursache. *Fortschr Röntgstr* 2002;174:363-367
52. Montgomery DD, Morrison WB, Schweitzer ME, Weishaupt D, Dougherty L. Effects of iodinated contrast and field strength on gadolinium enhancement: implications for MR arthrography. *J Magn Reson Imag* 2002;15:334-343
53. Weishaupt D, Treiber K, Jacob HC, Kundert HP, Hodler J, Marincek B, Zanetti M. MR Imaging of the forefoot under weight-bearing conditions – position related changes of the neurovascular bundles and the metatarsal heads in asymptomatic volunteers. *J Magn Reson Imag* 2002;16:75-84
54. Roos JE, Weishaupt D, Wildermuth S, Willmann JK, Marincek B, Hilfiker PR. Experience of 4 years with open-MR defacography: pictorial review of anorectal anatomy and disease. *Radiographics* 2002;22:817-832.
55. Willmann JK, Roos JE, Platz A, Pfammatter T, Hilfiker PR, Marincek B, Weishaupt D. Multi-detector row CT: detection of active hemorrhage in patients with blunt abdominal trauma. *AJR* 2002;179:437-444
56. Willmann JK, Weishaupt D, Lachat M, Kobza R, Roos JE, Seifert B, Lüscher TF, Marincek B, Hilfiker PR. Electrocardiographically gated multidetector-row spiral CT for assessment of valvular morphology and calcification in aortic stenosis. *Radiology* 2002;225:120-128
57. Willmann JK, Kobzka R, Roos JE, Hilfiker PR, Lachat M, Jenni R, Marincek B, Weishaupt D. ECG-gated multi-detector row spiral CT for assessment of mitral valve disease: initial experience. *Eur Radiol* 2002;12:2662-2669

58. Stumpe KD, Zanetti M, Weishaupt D, Hodler J, Boos N, von Schulthess GK. FDG positron emission tomography for differentiation of degenerative and infectious endplate abnormalities in the lumbar spine detected on MR imaging. *AJR* 2002;179:1151-1157.
59. Harders M, Wildermuth S, Weishaupt D, Szekely G. Improving virtual endoscopy for the intestinal tract. *Lect Notes Comput Sc* 2002;2489:20-27
60. Handschin AE, Weber M, Weishaupt D, Fried M, Clavien PA. Contrast enhanced three-dimensional magnetic resonance angiography for visualization of ectopic varices. *Dis Colon and Rectum* 2002;45:1541-1544
61. Dora C, Wälchli B, Elfering A, Gal I, Weishaupt D, Boos N. The significance of spinal canal dimensions in discriminating symptomatic and asymptomatic disc herniations. *Eur Spine J* 2002;11:575-581
62. Weishaupt D, Treiber K, Kundert HP, Zollinger H, Vienne P, Willmann JK, Hodler J, Marincek B, Zanetti M. Morton neuroma: MR imaging in prone, supine and upright weight-bearing body positions. *Radiology* 2003;226:849-856
63. Willmann JK, Wildermuth S, Pfammatter T, Roos JE, Seifert B, Hilfiker PR, Marincek B, Weishaupt D. Aortoiliac and renal Arteries: Prospective intraindividual comparison of contrast-enhanced three-dimensional MR and multi-detector row angiography. *Radiology* 2003;226:798-811
64. Lutz AM, Willmann JK, Pfammatter T, Lachat M, Wildermuth S, Marincek B, Weishaupt D. Evaluation of aortoiliac aneurysm before endovascular repair: comparison of contrast-enhanced magnetic resonance angiography with multidetector row computed tomographic angiography with an automated analysis software tool. *J Vasc Surg* 2003;37:619-627.
65. Willmann JK, Bauerfeind P, Boehm T, Lutz AM, Göpfert K, Marincek B, Weishaupt D. Kontrastmittelverstärkte MR-Angiographie zur Differenzierung zwischen perigastrischen und submukösen Fundusvarizen des Magens. *Fortschr Röntgenstr* 2003;175:507-514.
66. Willmann JK, Weishaupt D, Boehm T, Pfammatter T, Seifert B, Marincek B, Bauerfeind P. Detection of submucosal gastric fundal varices using multidetector row CT angiography. *GUT* 2003;52:886-892.
67. Theurillat JP, Vavricka SR, Went P, Weishaupt D, Perren A, Leonhard-Meier C, Baechli EB. Morphologic changes and altered gene expression in an epitheloid hemangioendothelioma during a ten-year course of disease. *Pathol Res Pract* 2003;199:165-170

68. Hentsch A, Aschauer MA, Balzer JO, Brossmann J, Busch HP, Davis K, Douek P, Ebener F, van Engelshoven JMA, Gregor M, Kersting C, Knuesel PR, Lee E, Leiner T, Loewe C, McPherson S, Reimer P, Schaefer FKW, Taupitz M, Thurnher SA, Tombach B, Wegener R, Weishaupt D, Meaney JF. Gadobutrol-enhanced moving table magnetic resonance angiography in patients with peripheral vascular disease: a prospective, multicenter blinded comparison with digital subtraction angiography. *Eur Radiol* 2003;13:2103-2114.
69. Kilgus M, Burg D, Loss M, Weishaupt D, Meyer VE. Das Wartenberg Zeichen des N. ulnaris: Ein Beitrag zur Pathophysiologie und Differentialdiagnose. *Handchir Mikrochir Plast Chir* 2003;35:251-258.
70. Steingoetter A, Kunz P, Weishaupt D, Maeder K, Lengsfeld H, Thumshirn M, Boesiger P, Fried M, Schwizer W. Analysis of the intragastric performance of a gastric-retentive tablet assessed by magnetic resonance imaging. *Aliment Pharmacol and Ther* 2003;18:713-720
71. Kilgus M, Weishaupt D, Kuenzi W, Meyer VE. Langzeitresultate nach radiokarpaler Teilarthrodese nach Gordon und King im Langzeitverlauf. *Handchir Mikrochir Plast Chir* 2003;35:317-322
72. Boehm T, Willmann JK, Hilfiker PR, Weishaupt D, Seifert B, Crook DW, Marincek B, Wildermuth S. Thin-section CT of the lung: Does electrocardiographic triggering influence diagnosis? *Radiology* 2003;229:483-491.
73. Willmann JK, Mayer D, Banyai M, Desbiolles LM, Verdun F, Seifert B, Marincek B, Weishaupt D. Evaluation of peripheral arterial bypass grafts with multi-detector row CT angiography: comparison with Duplex sonography and digital subtraction angiography. *Radiology* 2003;229:465-474.
74. Steingoetter A, Weishaupt D, Kunz P, Maeder K, Lengsfeld H, Thumshirn M, Boesiger P, Fried M, Schwizer W. MR imaging for the in vivo evaluation of gastric retentive tablets. *Pharmaceutical Research* 2003;20:2001-2007.
75. Cristina Schmitz H, Weishaupt D, Borel N, Padberg B, Buerki K. The use of ultrasound and computed tomography in the diagnosis of a spontaneous squamous cell carcinoma of the oesophago-cardial region in a young rhesus monkey. *Laboratory Animals* 2004;38:92-97.
76. Van der Hoef M, Crook D, Marincek B, Weishaupt D. Primary neuroendocrine tumors of the liver: MRI features in two cases. *Abdominal Imaging* 2004;29:77-81

77. Roos JE, Desbiolles LM, Weishaupt D, Hilfiker PR, Wildermuth S, Marincek B, Boehm T. Multidetector row CT. effect of iodine dose reduction on abdominal CT angiography and liver enhancement. *Rofo Fortschr Röntgenstr* 2004;176:556-563.
78. Boxheimer L, Lutz AM, Treiber K, Goepfert K, Crook DW, Marincek B, Weishaupt D. MR imaging of the knee: position related changes of the menisci in asymptomatic volunteers. *Invest Radiol* 2004;39:254-263
79. Weishaupt D, Willmann JK, Lutz AM, Marincek B. Resovist for imaging of hepatocellular carcinoma in the cirrhotic liver. *Eur Radiol* 2004;14S1:C5-C6
80. Koneth I, Weishaupt D, Bachli EB. Persistent nephrogram after administration of an isoosmolar contrast medium. *Nephrol Dial Transplant* 2004;19:1654-1655
81. Novack U, Weishaupt D, Seebach U. An intractable cause of transient small bowel thickening. *Swiss Medical Weekly* 2004;134:223-224.
82. Lutz AM, Weishaupt D, Ammann-Vesti B, Goepfert K, Marincek B, Nanz D. Assessment of skeletal muscle perfusion by contrast-medium first pass MR imaging: technical feasibility and preliminary experience in healthy volunteers. *J Magn Reson Imaging* 2004;20:111-121
83. Willmann JK, Weishaupt D, Kobza R, Verdun FR, Seifert B, Marincek B, Boehm T. Coronary artery bypass grafts: ECG gated multi-detector row CT angiography for evaluation - influence of image reconstruction interval on graft visibility. *Radiology* 2004;232:568-577
84. Labler L, Platz A, Weishaupt D, Trentz O. Clinical and functional results after floating shoulder injuries. *J Trauma* 2004;57:595-602.
85. Wildi LM, Kurrer MO, Benini A, Weishaupt D, Michel BM, Brühlmann P. Pseudocystic degeneration of the lumbar ligamentum flavum: a little known entity. *J Spinal Disord Tech* 2004;17:395-400.
86. Roos J, Hilfiker PR, Platz A, Desbiolles LM, Boehm T, Marincek B, Weishaupt D. Multidetector-row CT in Emergency Radiology: is a standardized chest and abdominal trauma protocol sufficient for evaluation of spine trauma? *AJR* 2004;183:959-968
87. Andreisek G, Jacky E, Weishaupt D. Rekale Manifestation eines B-Zell Non-Hodkin Lymphoms: Eine seltene Ursache von anorektalen Schmerzen. *Rofo-Fortschr Röntgenstr* 2004;176:1329-1331.



88. Lutz AM, Seemayer C, Corot C, Gay RE, Goepfert K, Michel BA, Marincek B, Gay S, Weishaupt D. Ultra Small Superparamagnetic Oxide (USPIO) enhanced MR imaging for detection of macrophage activity in an experimental model of antigen-induced arthritis. *Radiology* 2004;233:149-157.
89. Cao C, Frey P, Forster A, Weishaupt D, Kempf W, Furrer J. Eosinophilie, Arthralgien, Proteinurie und diuretikaresistente Beinödeme. *Praxis* 2004;93:2013-2016
90. Spaeth N, Wyss MT, Weber B, Scheidegger S, Lutz AM, Verwey J, Radanovic I, Pahnke J, Wild D, Westera G, Weishaupt D, Hermann DM, Kaser-Hotz B, Aguzzi A, Buck A. Uptake of <sup>18</sup>F-fluorocholine, <sup>18</sup>F-fluoro-ethyl-L-tyrosine and <sup>18</sup>F-fluoro-2-deoxyglucose in acute cerebral radiation necrosis in the rat: implications for the separation of radiation necrosis from tumor recurrence. *J Nucl Med* 2004;45:1931-1938
91. Baumann F, Bruehlmann P, Andreisek G, , Michel BA, Marincek B, Weishaupt D. MR imaging for diagnosis and monitoring of patients with eosinophilic fasciitis. *AJR* 2005;184:169-174.
92. Weiger M, Boesiger P, Weishaupt D, Hilfiker PR, Pruessmann KP. Sensitivity encoding as a means of enhancing the SNR efficiency in steady-state MRI. *Magn Reson Med* 2005;53:177-185.
93. Saupe N, Pruessmann KP, Luechinger R, Boesiger P, Marincek B, Weishaupt D. MR imaging of the wrist: comparison between 1.5 T and 3 T – preliminary experience. *Radiology* 2005;234:256-264.
94. Praz V, Müntener M, Oechslin E, Weishaupt D, Hauri D, John H. Bilateral perirenal lymphangioma – a conservative approach. *Urol Int* 2005;74:188-189.
95. Lutz AM, Weishaupt D, Persohn E, Goepfert K, Froehlich J, Sasse B, Gottschalk J, Marincek B, Kaim A. Imaging of macrophages in soft-tissue infection in rats: relationship between ultrasmall superparamagnetic iron oxide dose and MR signal characteristics. *Radiology* 2005;234:765-775.
96. Gruenenfelder F, Weishaupt D, Green R, Steffen F. Magnetic resonance imaging findings in spinal cord infarction in two small breed dogs. *Vet Radiol Ultrasound* 2005;46:91-96
97. Schenk Romer G, Weishaupt D, Koppensteiner R. Hypoplasia of the descending thoracic and abdominal aorta in Williams-Beuren Syndrome. *VASA* 2005;34:131-135
98. Belouli K, Beer GM, Burg D, Weishaupt D, Meyer VE. Nachweis daumenspezifischer Muskulatur beim triphalangealen Daumen mittels MRT. *Handchir Mikrochir Plast Chir* 2005;37:207-209

99. Lutz AM, Willmann JK, Marincek B, Weishaupt D. Hepatocellular carcinoma in cirrhosis: enhancement patterns at dynamic gadolinium- and superparamagnetic iron oxide-enhanced T1-weighted MR imaging. *Radiology* 2005;237:520-528.
100. Andreisek G, Kilgus M, Burg D, Saupe N, Crook DW, Meyer V, Marincek B, Weishaupt D. MRI of the intrinsic muscles of the hand: spectrum of imaging findings and clinical correlation. *AJR* 2005;185:930-939 K
101. Kaura DR, Schweitzer MR, Weishaupt D, Morrison WB. Optimization of indirect arthrography of the knee by application of external heat: initial experience. *J Magn Reson Imaging* 2005;22:810-812
102. Schmid MR, Schertler T, Pfirrmann CWA, Saupe N, Wildernuth S, Weishaupt D. Interosseous ligament tears of the wrist: comparison of multi-detector row CT arthrography and MR imaging. *Radiology*. 2005;237:1008-13.
103. Nanz D, Andreisek G, Froehlich JM, Weishaupt D, Treiber K, Ess S, Pfammatter T. Contrast-enhanced visualization of the ablation medium in MR-monitored ethanol-injection therapy: safety and imaging aspects. *J Vasc Intervent Radiol* 2006;17:95-102.
104. Boxheimer L, Lutz AM, Zanetti M, Treiber K, Labler L, Marincek B, Weishaupt D. Kinematic MR-imaging of the knee: characteristics of displaceable and non-displaceable meniscal tears. *Radiology* 2006;238:221-231.
105. Andreisek G, Studer A, Weishaupt D. Schulterschmerz und Muskelschwäche. *Radiologe* 2006;46:150-154.
106. Schaefer PJ, Boudghene FP, Brambs HJ, Bret-Zurita M, Caniego JL, Coulden RA, Gehl HB MD, Hammerstingl R, Huber A, Mendez RJ, Nonent M, MD, Oestmann JW, Pueyo JC, Thurnher S, MD, Weishaupt D, Jahnke T. Parallel, Double-blind, Randomised Study to Compare the Efficacy of Gadodiamide Injection (Omniscan™) 0.1 mmol/kg b.w. to Gadopentetate Dimeglumine (Magnevist™) 0.1 mmol/kg b.w. in Abdominal and Iliac 3D Magnetic Resonance Angiography. *Radiology* 2006;238:827-840.
107. Treier R, Steingoetter A, Weishaupt D, Boesiger P, Fried M, Schwizer W. Gastric motor function and emptying in the right decubitus and seated body position as assessed by magnetic resonance imaging. *J Magn Reson Imaging* 2006;23:331-338.

108. Werner CM, Weishaupt D, Blumenthal S, Curt A, Favre P, Gerber C. Effect of experimental suprascapular nerve block on active glenohumeral translations in vivo. *J Orthop Res* 2006;23:331-338.
109. Hetzer FH, Andreisek G, Tsagari C, Sahrbacher U, Weishaupt D. MR defecography in patients with fecal incontinence: spectrum of imaging findings and influence on surgical management. *Radiology* 2006;240:449-457.
110. Hubner M, Hetzer FH, Weishaupt D, Hahnloser D, Clavien PA, Demartines N. A prospective comparison between clinical outcome and open-configuration magnetic resonance defecography findings before and after surgery of a symptomatic rectocele. *Colorectal Dis* 2006;8:605-611.
111. Hahn F, Kissling R, Weishaupt D, Boos N. The extremes of spinal motion. A kinematic study of a contortionist in an open-configuration MR scanner. *Spine* 2006;15:E565-567
112. Lutz AM, Goepfert K, Jochum W, Nanz D, Froehlich JM, Weishaupt D. USPIO-Enhanced MR Imaging for visualization of synovial hyperperfusion and detection of synovial macrophages: preliminary results in an experimental model of antigen-induced arthritis. *J Magn Reson Imaging* 2006;24:657-666
113. Andreisek G, Crook DW, Burg D, Marincek B, Weishaupt D. Peripheral neuropathies of the medial, radial, and ulnar nerves: MR Imaging features. *Radiographics* 2006;26:1267-1287
114. Steingoetter A, Fox M, Treier R, Weishaupt D, Marincek B, Boesiger P, Fried M, Schwizer W. Effects of posture on the physiology of gastric emptying: a magnetic resonance imaging study. *Scand J Gastroenterol* 2006;41:1155-1164
115. Willmann JK, Goepfert K, Lutz AM, Nanz D, McCormack L, Petrowsky H, Seifert B, Hervo P, Marincek B, Weishaupt D. Prospective intraindividual comparison between respiratory triggered balanced steady state free precession, gradient-echo, and time-of-flight MR imaging for assessment of the portal and hepatic veins. *Eur Radiol* 2007;17:229-240
116. Köhler C, Weishaupt D, Guggenheim M, Künzi W, Wedler V. Magnet resonance angiography versus conventional angiography for the planning of reconstructive surgery. *Eur J Trauma Emerg Surg* 2007;33:40-45
117. Andreisek G, Pfammatter T, Goepfert K, Nanz D, Hervo P, Koppensteiner R, Weishaupt D. Standard bolus chase and time-resolved MR angiography for imaging the peripheral arteries in diabetic patients. *Radiology* 2007;242:610-620

118. Andreisek G, Duc S, Froehlich J, Hodler J, Weishaupt D. MR arthrography of the shoulder, wrist and hip: Contrast dynamics and relationship between visualization of intraarticular structures and time elapsed between intraarticular injections of contrast agent. *AJR* 2007;188:1081-1088.
119. Saupé N, Pfirrmann CWA, Schmid MR, Schertler T, Manestar M, Weishaupt D. MR imaging of cartilage in cadaveric wrists: comparison between imaging at 1,5 T, 3.0 T and gross pathologic inspection. *Radiology* 2007;243:180-187.
120. Tamborrini G, Brühlmann P, Weishaupt D, Bode B. Villonoduläre Synovitis. *Schweiz Med Forum* 2007;7:467
121. Tschirch F, Goepfert K, Brunner G, Froehlich J, Weishaupt D. Low dose intranasal versus oral midazolam for routine body magnetic resonance imaging of claustrophobic patients. *Eur Radiol* 2007;17:1403-1410.
122. Werder R, Nanz D, Lutz AM, Weishaupt D, McCormack L, Seifert B, Marincek B, Willmann JK. Assessment of the abdominal aorta and its visceral branches by contrast enhanced dynamic volumetric hepatic parallel magnetic resonance imaging: feasibility, reliability and accuracy. *Eur Radiol* 2007;17:541-551
123. Goeze O, Steingoetter A, Menne D, van der Voort IR, Kwiatek MA, Boesiger P, Weishaupt D, Thumshirn M, Fried M, Schwizer W. The effects of macronutrients on gastric volume responses and gastric emptying in humans – a magnetic resonance study, *Am J Physiol Gastrointest Liver Physiol* 2007;292:G11-7
124. Sutter R, Nanz D, Lutz AM, Pfammatter T, Seifert B, Struwe, A, Heilmaier C, Weishaupt D, Marincek B, Willmann JK. MR angiography with parallel acquisition for assessment of the aortoiliac and renal arteries: prospective intraindividual comparison with conventional 3D MR angiography and digital subtraction angiography. *Radiology* 2007;245:276-284
125. Serra AL, Kistler A, Poster D, Strucker M, Wüthrich RP, Weishaupt D, Tschirch F. Clinical proof-of-concept trial to assess the therapeutic effect of sirolimus in patients with autosomal dominant polycystic kidney disease: SUISEE ADPKD study. *BMC Nephrology* 2007;8:13-18.
126. Heilmaier C, Sutter R, Lutz AM, Seifert B, Weishaupt D, Marincek B, Willmann JK. Hepatic vascular mapping by contrast-enhanced dynamic parallel magnetic resonance imaging in patients with focal liver lesions: comparison with multi-detector row computed tomography. *Radiology* 2007;245:872-880

127. Wyss TF, Clark JM, Weishaupt D, Nötzli H. Correlation between internal rotation and bony anatomy of the hip. *Orthop Relat Res* 2007;460:152-158.
128. Bolog N, Pfammatter T, Mülhaupt B, Andreisek G, Weishaupt D. Double-contrast magnetic resonance imaging of hepatocellular carcinoma after transarterial chemoembolization. *Abdom Imaging* 2008;33:313-323
129. Schwegler B, Stumpe K, Weishaupt D, Strobel K, Spinass G, von Schulthess G, Hodler J, Boeni T, Donath M. Unsuspected osteomyelitis is frequent in persistent diabetic foot ulcer and better diagnosed by MR than by 18F-FDG PET or 99mTc-MOAB. *J Int Med* 2008;263:99-106
130. Solopova A, Hetzer FH, Marincek B, Weishaupt D. MR defecography: prospective comparison between two enema compositions. *AJR* 2008;190:118-124.
131. Andreisek G, Froehlich JM, Hodler J, Weishaupt D, Beutler V, Pfirrmann CWA, Boesch C, Nanz D. Direct MR arthrography at 1.5 and 3.0 T: signal dependence of pulse sequence on gadolinium and iodine concentrations - phantom study. *Radiology* 2008;247:706-716
132. Tschirch FTC, Struwe A, Petrowsky H, Kakales I, Marincek B, Weishaupt D. Contrast-enhanced MR cholangiography with Gd-EOB-DTPA in patients with liver cirrhosis: visualization of the biliary ducts in comparison with normal liver parenchyma. *Eur Radiol* 2008;18:1577-1586
133. Andreisek G, Studer A, Burg D, Weishaupt D. Upper extremity neuropathies: role and impact of MR imaging on patient management. *Eur Radiol* 2008;18:1953-1961
134. Dindo D, Weishaupt D, Lehmann K, Hetzer FH, Clavien PA, Hahnloser D. Clinical and morphologic correlation after stapled transanal rectal resection for obstructed defecation syndrome. *Dis Colon Rectum* 2008;51:1768-1774
135. Tschirch FT, Suter K, Froehlich JM, Stuler U, Nidecker A, Eckard B, Beranek-Chiu J, Surber U, Weishaupt D. Multicenter trial: comparison of two different formulations and application systems of low-dose nasal midazolam for routine magnetic resonance imaging of claustrophobic patients. *J Magn Reson Imaging* 2008;28:866-872
136. Umbehr M, Bachmann LM, Held U, Kessler TM, Sulser T, Weishaupt D, Kuharnewicz J, Steuer J. Combined magnetic resonance imaging and magnetic resonance spectroscopy imaging in the diagnosis of prostate cancer: a systematic review and meta-analysis. *Eur Urol* 2008;Oct 18

137. Kistler AD, Poster D, Krauer F, Shagun R, Senn O, Weishaupt D, Raina S, Senn O, Binet I, Spanaus K, Wuethrich RP, Serra AL. Increases in kidney volume in autosomal dominant polycystic kidney disease can be detected within 6 months. *Kidney Int* 2009;75:235-241
138. Hammerstingl R, Adam G, Ayuso C, Van Beers B, Belfiore G, Bellin MF, Bongartz G, Czembirek C, Ernst O, Giuseppetti G, Heller M, Lechner G, Martin J, Passariello R, Pering C, Reimer P, Richter GM, Roemer FW, Vilgrain V, Vogl TJ, Weishaupt D, Wall D, Wolff KJ, Zech C, Tombach B. Comparison of 1.0 M gadobutrol and 0.5 gadopentate dimeglumine-enhanced MRI in 572 patients with known or suspected liver lesions: results of a multicenter, double-blind, interindividual, randomized clinical phase III trial. *Invest Radiol* 2009;Jan 22 (Epub ahead of print)
139. Hausammann R, Steffen T, Weishaupt D, Beutner U, Hetzer FH. Rectocele and intussusception: is there any coherence in symptoms or additional disorders of the pelvic floor? *Techn Coloproctol* 2009;13:17-25
140. Reiner CS, Lutz AM, Tschirch FTC, Froehlich J, Gaillard S, Marincek B, Weishaupt D. USPIO-enhanced MR imaging of the knee in asymptomatic volunteers. *Eur Radiol* 2009;19:1715-1722
141. Reiner CS, Karlo C, Petrowsky H, Marinec B, Weishaupt D, Frauenfelder T. Preoperative liver volumetry: how does the slice thickness influence the MDCT- and MR-liver measurements? *J Comput Assist Tomogr* 2009;33:390-397
142. Andreisek G, Nanz D, Weishaupt D, Pfamatter T. MR guided sclerotherapy of venous malformations on a standard clinical 1.5 T scanner: feasibility, safety and outcome after 1 year. *J Vasc Intervent Radiol* 2009;20:879-887
143. Poster D, Kistler AD, Krauer F, Weishaupt D, Wüthrich RP, Serra A. Kidney function and volume progression in unilateral ADPKD with contralateral renal agenesis or hypoplasia: A case series. *Am J Kidney Dis* 2009;20:879-887
144. Serra AL, Kistler A, Poster D, Krauer F, Senn O, Raina S, Pavik I, von Eckardstein A, Regeniter A, Weishaupt D, Wüthrich RP. Safety and tolerability of sirolimus treatment in patients with autosomal dominant polycystic kidney disease. *Nephrol Dial Transplant* 2009;24:3334-3342
145. Sutter R, Heilmaier C, Lutz AM, Weishaupt D, Seifert B, Willmann JK. MR angiography with parallel acquisition for assessment of visceral arteries: comparison with conventional MR angiography and 64-detector row computed tomography. *Eur Radiol* 2009;19:2679-2688

146. Lienhardt B, Irani S, Gaspert A, Weishaupt D, Boehler A. Disseminated infection with *Barthoneilla Henseli* in a lung transplant recipient. *J Lung Transplant* 2009;28:736-739
147. Heilmaier C, Lutz AM, Bolog N, Weishaupt D, Seifert B, Willmann JK. Double contrast MR imaging of the liver: detection and characterization of focal liver lesions compared to single-contrast imagin. *Radiology* 2009;253:724-733
148. Karlo C, Reiner CS, Stolzmann Pm Breitenstein S, Marincek B, Weishaupt D, Frauenfelder T. CT- and MRI Based volumetry of resected liver specimen: comparison to intraoperative volume and weight measurements and calculation of conversion factors. *Eur J Radiol* 2010;33:41-52
149. Lammer J, Malagari K, Vogl T, Pilleul F, Denys A, Watkinson A, Pitton M, Sergent G, Pfammatter T, Terraz S, Benhamou Y, Avajon Y, Gruenberger T, Pomoni M, Langenberger H, Schuchmann M, Dumortier J, Mueller C, Chevallier P, Lencioni R; PRECISION V Investigators. Prospective randomized study of doxorubicin-eluting-bead embolization in the treatment of hepatocellular carcinoma: results of the PRECISION V study. *Cardiovasc Intervent Radiol*. 2010 Feb;33(1):41-52.
150. Donati OF, Hany TF, Reiner CS, von Schulthess GK, Marincek B, Seifert B, Weishaupt D. Value of PET/MR retrospective image fusion in detection of hepatic metastasis: comparison with 18F-FDG-PET/CT and Gd-EOB-DPA enhanced MRI. *J Nucl Med* 2010;51:692-699
151. Donati OF, Reiner CS, Hany TF, Fornaro J, von Schulthess GK, Marincek B, Weishaupt D. 18F-FDG-PET and MRI in patients with malignancies of the liver and pancreas: Accuracy of retrospective multimodality image registration by using the CT-component of PET/CT.. *Nuklearmedizin* 2010;49:106-114
152. Serra AL, Poster D, Kistler AD, Krauer F, Raina S, Young J, Rentsch KM, Spanaus KS, Senn O, Kristanto P, Scheffel H, Weishaupt D, Wüthrich RP. Sirolimus and kidney growth in autosomal dominant polycystic kidney disease. *New Engl J Med* 2010;363:820-829
153. Donati OF, Weishaupt D, Weber A, Hahnloser D. Colonic transformation of ileal pouch-anal anastomosis and of the distal ileum: MRI findings. *Bt J Radiol* 2010;83:ee185-187.
154. Petrowsky H, Breitenstein S, Slankamenac K, Vetter D, Lehmann K, Heinrich S, DeOliveira ML, Jochum W, Weishaupt D, Frauenfelder T, Graf F, Clavien PA. Effects of pentoxifylline on liver regeneration: a double-blinded randomized controlled trial in 110 patients undergoing major liver resection. *Annals of Surgery* 2010;252:813-822.

155. Mueller TL, Wirth AJ, van Lenthe GH, Goldhahn J, Schense J, Jamieson V, Messmer P, Uebelhart D, Weishaupt D, Egermann M, Müller R. Mechanical stability in a human radius fracture treated with novel tissue-engineered bone substitute: a non-invasive longitudinal assessment using high-resolution pOCT in combination with finite element analysis. *J Tissue Eng Regen Med* 2011;5:415-420
156. Fischer MA, Nanz D, Hany T, Reiner CS, Stolzmann P, Donati OF, Breitenstein S, Schneider P, Weishaupt D, von Schulthess GK, Scheffel H. Diagnostic accuracy of whole-body MRI/DWI image fusion for detection of malignant tumors: a comparison with PET/CT. *Eur Radiol* 2011;21:246-255
157. Syburra T, Weishaupt D, Graves K, Genoni M. Oxidized regenerated cellulose in cardiac computer tomography imaging. *Interact Cardiovasc Thorac Surg* 2011;12:626-627
158. Reiner CS, Tutoian R, Marincek B, Weishaupt D. MR defecography in patients with dyssynergic defecation: spectrum of imaging findings and diagnostic value. *Br J Radiol* 2011;84:136-144.
159. Bischof TR, Weishaupt D, Meier C.A., Ritter S. Morgagni-Hernie. *Schweiz Med Forum* 2011;11:322-323
160. Reiner CS, Fischer MA, Hany T, Stolzmann P, Nanz D, Donati OF, Weishaupt D, von Schulthess GK, Scheffel H. Molecular imaging of malignant tumor metabolism: whole-body fusion of DWI/CT vs. PET/CT. *Acad Radiol* 2011;18:940-946
161. Buddeberg-Fischer B, Hoffmann A, Christen S, Weishaupt D, Kubik-Huch R. Specialising in radiology: still attractive for medical school graduates? *Eur J Radiol* 2011 81;1644-1651
162. Reissner L, Glenck M. Weishaupt D, Platz A, Kilgus M. Klinische und radiologische Ergebnisse nach operativ versorgten Frakturen dorsal an der Fingerendgliedbasis mit Kirschnerdrähten. *Handchir Mikrochir Plast Chir* 2011 Nov 7 (Epub ahead of print)
163. Buddberg-Fischer B, Christen S, Weishaupt D, Hoffmann A, Kubik-Huch RA. Professional satisfaction of radiologists in Switzerland. *Swiss Med Wkly* 2011;141:w13271
164. Mamisch N, Brumann M, Hodler H, Held U, Brunner F, Steurer J; Lumbar Stenosis Outcome Study Working Group Zurich: Radiologic criteria for the diagnosis of the spinal stenosis: results of a Delphi survey. *Radiology* 2012;264:174-179



165. Hofmaenner D, Kovari H, Weber A, Weishaupt D, Speck RF. Nodular Regenerative Hyperplasia of Liver Associated with Didanosine persists for Years Even After its Interruption. *BMJ Case Rep* 2011;May 3;2011
166. Goetschi S, Umbehr M, Ullrich S, Glenck M, Suter S, Weishaupt D: How accurate is unenhanced multidetector row CT (MDCT) for localization of renal calculi. *Eur J Radiol* 2012; 81:3084-3089
167. Donati OF, Fischer MA, Chuck N, Hunziker R, Weishaupt D, Reiner CS. Accuracy and confidence of Gd-EOB-DTPA enhanced MRI and diffusion-weighted imaging alone and in combination for the diagnosis of liver metastases. *Eur J Radiol* 2013;82:822-828
168. Zbinden R, Mutter M, Weishaupt D. Cardiac magnetic resonance imaging in the diagnosis of anterolateral left ventricular ballooning, a variant of classic Takotsubo cardiomyopathy. *Case Rep Cardiol.* 2012:537169
169. Panes J, Bouhnik Y, Reinisch W, Stoker J, Taylor SA, Baumgart DC, Danese S, Halligan S, Marincek B, Matos C, Peyrin-Biroulet L, Rimola J, Rogler G, van Assche G, Ardizzone S, Bassalama A, Bali MA, Bellini D, Biancone L, Castiglione F, Eehalt R, Grassi R, Kucharzik T, Maccioni F, Maconi G, Magro F, Matin-Comin T, Morana G, Pendsé D, Sebastian S, Signore A, Tolan D, Tielbeek Ja, Weishaupt D, Wiarda B, Laghi A. Imaging techniques for assessment of inflammatory bowel disease: joint ECCO and ESGAR evidence-based consensus guidelines. *J Crohns Colitis* 2013;7;556.585
170. Konieczny A, Meyer P, Schnider A, Komminoth P, Schmid M, Lombriser N, Weishaupt D. Accuracy of multidetector-row CT for restaging after neoadjuvant treatment in patients with oesophageal cancer. *Eur Radiol* 2013;23:2492-2502.
171. Heilmaier C, Heilmaier C, Koester A, Moysidis T, Weishaupt D, Kröger K. Abdominal aortic calcification and its distribution in normal-sized and aneurysmatic abdominal aortas. *Vasa* 2014 Mar;43:132-40
172. Heinrich H, Sauter M, Fox M, Weishaupt D, Halama M, Misselwitz B, Buertikofer S, Reiner C, Fried M, Schwizer W, Frueauf H. Assessment of obstructive defecation by high-resolution anorectal manometry compared with magnetic resonance defecography. *Clin Gastroenterol Hepatol* 2015;13:1310-1317

173. Heilmaier C, Zuber N, Berhold C, Kara L, Weishaupt D. Improving patient safety: implementing dose monitoring software in fluoroscopically guided interventions. J Vasc Intervent Radiol 2015;26:1699-1709
174. Heilmaier C, Mayor A, Zuber N, Fodor P, Weishaupt D. Improving radiation awareness and feeling of personal security of non-radiological medical staff by implementing a traffic light system in computed tomography. RöFo 2016;188:280-287
175. Heilmaier C, Kara L, Zuber N, Berthold C, Weishaupt D. Combined use of a patient dose monitoring system and a real-time occupational dose monitoring system for fluoroscopically guided interventions. J Vasc Interv Radiol 2016;27:584-592
176. Heilmaier C, Zuber N, Bruijns B, Ceyrolle C, Weishaupt D. Implementation of dose monitoring software in the clinical routine: first experiences. Rofo 2016;188:82-88
177. Heilmaier C, Zuber N, Bruijns B, Weishaupt D. Does real-time monitoring of patient dose with dose management software increase CT technologist's radiation awareness? Am J Roentgenol 2016;206:1049-1055
178. Heilmaier C, Zuber N, Weishaupt D. Implementation of a patient dose monitoring system in conventional digital X-ray imaging: initial experiences. Eur Radiol 2016; Jun 23; Epub ahead print
179. El Sayed RF, Alt CD, Maccioni f, Meissnitzer M, Messelli G, Manganaro L, Vinci V, Weishaupt D and ESUR and ESGAR Pelvic Floor Working Group. Magnetic resonance imaging of pelvic floor dysfunction – joint recommendation of the ESUR and ESGAR pelvic floor working group. Eur Radiol 2016; Aug 3, Epub ahead of print.
180. Burn F, Schirpenbach C, Bidlingmaier M, Reincke M, Vetter D, Weishaupt D, Brockmann JG, Müller MK, Weber M, Dahm F, Nocito A. Left-sided living kidney donation leads to transiently reduced adrenocortical responsiveness. Am J Transplant 2016, Dec 26, Epub ahead of print
181. Heilmaier C, Zuber N, Berthold D, Kara L, Weishaupt D. Establishing local diagnostic reference levels in IR procedures with dose management software. J Vasc Intervent Radiol 2016;Dec 26, Epub ahead of print.

### **Übersichtsarbeiten (Reviews)**

1. Weishaupt D, Debatin JF. MR-evaluation of adrenal lesions. Current Opinion in Urology 1999;9:153-163

2. Weishaupt D, Schweitzer MR, Alam F, Karasick D, Wapner K. MR imaging of inflammatory joint diseases of the foot and ankle. Skeletal Radiology 1999;28:663-669
3. Weishaupt D, Hodler J, Marincek B. Kinematic MRI of the Lumbar Spine with an open-configuration MR system. Medical Imaging Internat 2001;11 No 3:6-8
4. Weishaupt D, Grozaj AM, Willmann JK, Roos JE, Hilfiker PR, Marincek B. Emergency Radiology: Imaging of traumatic abdominal and pelvic injuries. Europ Radiol 2002;12:1295-1311
5. Weishaupt D, Zanetti M. Radiologische Diagnostik des Fusses. Radiologie Up2date 2002;3:237-255
6. Weishaupt D. Zellspezifische Bildgebung mittels Magnetresonanztomographie: Neue Möglichkeiten in der Diagnostik. Schweiz Med Forum 2003;51/52:1279-1281
7. Weishaupt D, Boxheimer L. Magnetic resonance imaging of the weight-bearing spine. Seminars in Muskuloskeletal Radiology 2003;7:277-286
8. Weishaupt D, Schweitzer ME. MR Imaging of septic arthritis and rheumatoid arthritis of the shoulder. Magn Reson Imaging Clin N Am 2004;12:111-124
9. Bolog N, Weishaupt D. Dynamic MR imaging of outlet obstruction. Rom J Gastroenterol. 2005;14:293-302
10. Zanetti M, Weishaupt D. MR imaging of the forefoot: Morton neuroma and its differential diagnosis. Seminars in Muskuloskeletal Radiology 2005;9:175-186.
11. Bolog N, Nanz D, Weishaupt D. Muskuloskeletal MR imaging at 3.0 T: current status and future perspectives. Eur Radiol 2006;16:1298-1307.
12. Weishaupt D, Andreisek G. Bildgebung bei Nervenkompressions-Syndromen des Fusses. Radiologe 2007;47:231-239
13. Bongartz G, Weishaupt D, Mayr M. Neue Kontrastmittelproblematik bei Niereninsuffizienz: Gadolinium-induzierte Nephrogene Systemische Fibrose (NSF). Schweiz Med Forum 2008;8:116-123
14. Reiner CS, Weishaupt D. Stellenwert der Magnetresonanztomographie in der Diagnose und Therapie des Prostatakarzinoms. Schweiz. Med. Forum 2008;8:919-921
15. Donati OF, Tschirch FT, Weishaupt D. Bildgebung bei Patienten mit Thoracic Outlet Syndrom (TOS). Gefässmedizin.net 2008;4:33-39

16. Weishaupt D, Bremerich J, Duru F, Hoppe J, Rizzo E, Votik P, Luechinger R. Pacemakers and magnetic resonance imaging: current status and survey in Switzerland. Swiss Med Wkly;2011;141:w1347
17. Andreisek G, Weishaupt D. Hände und Füße bei entzündlichen Erkrankungen. Rheuma Schweiz, 2011;3:9-12
18. Reiner CS, Weishaupt D. Dynamic pelvic floor imaging: MRI techniques and imaging parameters: Abdom Imaging 2013;38:903-911
19. Weishaupt D. Bildgebende Abklärung bei Beckenbodendysfunktion und Beckbodenprolaps. Radiologie up2date 2013;1:35-51
20. Heilmaier C, Weishaupt D. Stellenwert des Dual-Energy-CT in der Diagnostik der Kristallarthropathien. Rheuma Schweiz. 2015;2:16-18
21. Heilmaier C, Weishaupt D. Implementing dose monitoring software in a radiology department. Health Management 2015;15:214-215
22. Mannil M, Andreisek G, Weishaupt D, Fischer MA. Chronic sports injuries of knee joint. Radiologe 2016;56:445-456
23. Heilmaier C, Weishaupt D. The potential of dose management software in computed tomography. Diagnostic Imaging Europe 2016;Aug/Sept:20-22

### **Andere Publikationen**

1. Boehm T, Jenni R, Jungius P, Weishaupt D, Hilfiker PR. Intramural hematoma of the aortic wall due to blunt chest trauma. Eurorad
2. Boehm T, Weishaupt D, Jungius KP, Hilfiker P. Pulmonary hypertension and interstitial lung disease in systemic sclerosis. Eurorad.
3. Boehm T, Weishaupt D, Hilfiker PR Chronic pulmonary embolism. Eurorad.
4. Willmann JK, Weishaupt D, Marincek B. Primary amyloidosis with hepatosplenic involvement. Eurorad,May 2001.
5. Weishaupt D, Desbiolles LM, Hilfiker PR, Wildermuth S, Marincek B: Multislice CT in emergency radiology. Case reports from multislice CT - SOMATOM Volume Zoom. Institute of Diagnostic Radiology, University Hospital Zurich, 2002

6. Weishaupt D, Andreisek G, Goepfert K. Contrast-enhanced MR angiography with Gadovist® 1.0 – Cases No.4. Schering AG, Berlin, Germany, 2004.

### **Bücher/CD**

1. Weishaupt D, Köchli VD, Marincek B. Wie funktioniert MRI? Eine Einführung in die Funktionsweise der Magnetresonanzbildgebung. 3. Auflage; Springer-Verlag, Berlin Heidelberg 2001
2. Weishaupt D, Köchli VD, Marincek B. Wie funktioniert MRI? Eine Einführung in die Funktionsweise der Magnetresonanzbildgebung. 4. Auflage; Springer-Verlag, Berlin Heidelberg 2003
3. Weishaupt D (Editor). Muskuloskeletal Diseases. CD Rom 33<sup>rd</sup> International Diagnostic Course Davos 2001
4. Weishaupt D, Köchli VD, Marincek B. How does MRI work? An introduction to the Physics and Function of Magnetic Resonance Imaging. 1<sup>st</sup> Edition. Springer; Berlin Heidelberg, 2003
5. Weishaupt D, Köchli VD, Marincek B. Wie funktioniert MRI? Eine Einführung in die Funktionsweise der Magnetresonanzbildgebung. 5. Auflage; Springer-Verlag, Berlin Heidelberg 2006
6. Weishaupt D, Köchli VD, Marincek B. How does MRI work? An introduction to the Physics and Function of Magnetic Resonance Imaging. 2<sup>nd</sup> Edition. Springer; Berlin Heidelberg, 2006
7. Weishaupt D, Köchli VD, Marincek B. Wie funktioniert MRI? Eine Einführung in die Funktionsweise der Magnetresonanzbildgebung. 6. Auflage; Springer-Verlag, Berlin Heidelberg 2009

### **Buchbeiträge**

1. Weishaupt D, Wildermuth S, Schmid MR, Hodler J. Kinematic MR imaging of the lumbar spine. In: Shellock FG, Powers CM (ed). Kinematic MRI of the Joints: Functional Anatomy and Clinical Applications. CRC Press LLC, Boca Raton, FL, 2001;33-60
2. Hilfiker PR, Weishaupt D, Debatin JF. Intravascular implants. Safety and artifacts. In: Alart IP, Bongartz GM, Marchal G (eds). Magnetic Resonance Angiography 2nd ed. Springer, Berlin, 2001;453-463
3. Weishaupt D, Hilfiker PR. MR-Angiographie der Aorta. In: Nagel A, van Rossum AC, Fleck E. Kardiovaskuläre Magnetresonanztomographie. Steinkopff Verlag, Darmstadt, 2002;107-116

4. Hilfiker PR, Weishaupt D. Periphere MR-Angiographie In: Nagel A, van Rossum AC, Fleck E. Kardiovaskuläre Magnetresonanztomographie. Steinkopff Verlag, Darmstadt, 2002;117-122
5. Stoll T, Brühlmann P, Weishaupt D. Miscanellous Conditions. In: Isenberg DA, Renton P. Imaging in Rheumatology (eds). 1 ed., Oxford University Press, Oxford UK, 2003. 426-446
6. Weishaupt D, Wildermuth S, Teodorovic N. Future developments in shoulder imaging. In: Davies M, Hodler J. Imaging of the shoulder. Springer Verlag, Berlin Heidelberg 2003, 312-317
7. Weishaupt D. MR-Angiography of the aorta. In: Nagel A, van Rossum AC, Fleck E. Magnetic Resonance Tomography of the Cardiovascular System. Steinkopff Verlag, Darmstadt, 2004;149-165.
8. Weishaupt D, McCall I. Degenerative diseases of the spine. In: Hodler J, von Schulthess GK, Zollikofer CL. (eds). Musculoskeletal diseases. Diagnostic imaging and interventional therapy. Springer-Verlag Italia, Milan, 2005, 132-137.
9. Weishaupt D, Morrison WB, Schweitzer ME. Case 23. In: Kadir SE. Teaching Atlas of Interventional Radiology – Nonvascular Interventions. Thieme, New York, NY, 2006,322-325
10. Bolog N, Weishaupt D, Marincek B. Dynamic MR imaging in the evaluation of outlet obstruction. In: Santoro GA, Di Falco G (Ed). Benign anorectal diseases. Springer Verlag, Milan, 2006;243-255
11. Weishaupt D. Biochemistry of local anesthetics and steroids for selective injections. In: Laredo JD, Schweitzer ME. New techniques in interventional muskuloskeletal imaging. Informa Healthcare, New York, 2007:7-13.
12. Willmann JK, Weishaupt D. Multidetector-Row CT for assessment of cardiac valves. In Schöpf UJ (ed.): CT of the Heart: Principles and Applications. Humana Press, Totowa NJ; 2004, 59-71
13. Weishaupt D. Obstipation – Diagnostische Möglichkeiten aus Sicht des Radiologen.. In: Raedelli C.A. Interdisziplinäres Zürcher Symposium Edition 06. Interdisziplinäres Zürcher Symposium 2007, 155-165.
14. Bolog N, Hetzer FH, Weishaupt D. Pelvic floor dysfunction - anorectal manifestations. In: Baert AL. Encyclopedia of Diagnostic Imaging. Springer Verlag Berlin Heidelberg, 2008: 1462-1466
15. Weishaupt D., Reiner CS. MR Defäkographie. In: Lauenstein TC, Goyen M: Gastrointestinale MRT Theorie und Praxis. ABW Wissenschaftsverlag Berlin, 2009:179-197

16. Weishaupt D, Hany TF. Modalities for imaging liver tumors. In: Clavien PA (Ed). Malignant Liver Tumors: Current and Emerging Therapies, 3rd Ed. Wiley-Blackwell, West Sussex; 2010, 76-102.
17. Weishaupt D, Reiner, CS. New technical developments in pelvic floor imaging: MRI and pelvic floor. In: Santoro GA, Wieczorek , Bartram CI. Pelvic Floor Disorders. Springer Verlag Italia, 1° Edition: 2010, 125-130
18. Weishaupt D, Reiner CS. Assessment of pelvic organ prolapse and outlet obstruction – MRI and dynamic MRI. In: In: Santoro GA, Wieczorek , Bartram CI. Pelvic Floor Disorders. Springer Verlag Italia, 1° Edition: 2010, 435-449
19. Reiner CS, Weishaupt D. MRI of the pelvic floor. In: Stoker J. MRI of the Gastrointestinal Tract. Springer Verlag GmbH. In press.